

Postabortion Family Planning

References

- The complete brief is available from: <https://www.fphighimpactpractices.org/briefs/postabortion-family-planning/>
- Abdel-Tawab N, Huntington D, Hassan EO, Youssef H, Nawar L. Effects of husband involvement on postabortion patients' recovery and use of contraception in Egypt. In: Huntington D, Piet-Pelon NJ, editors. *Postabortion care: lessons from operations research*. New York: Population Council; 1999. pp. 16-37.
- Alemayehu T, Orsea K, GebreMikael A, Dagne S, Healy J, Benson J. Abortion care improvements in Tigray, Ethiopia: using the Safe Abortion Care (SAC) approach to monitor the availability, utilization and quality of services. Final report of a two-year project in 50 public sector facilities. Chapel Hill, North Carolina: Ipas; 2009. Available from: <http://www.ipas.org/-/media/Files/Ipas%20Publications/SACTIGE09.ashx>
- Benson J, Huapaya V. *Sustainability of postabortion care in Peru*. New York: Population Council; 2002 May. 45 p.
- Billings D, Victor A, Baird T, Taylor J, Ababio K, Ntow S. Midwives and comprehensive postabortion care in Ghana. In: Huntington D, Piet-Pelon N, editors. *Postabortion care: lessons from operations research*. New York: Population Council; 1999. pp. 141-158.
- Briozzo L, Rodriguez F, Leon I, Vidiella G, Ferreiro G, Pons JE. Unsafe abortion in Uruguay. *Int J Gynaecol Obstet* 2004 Apr;85(1):70-3.
- Centre de Formation et de Recherche en Sante de la Reproduction (CEFOREP). *Introduction des soins obstetricaux d'urgence et de la planification familiale pour les patients presentant des complications liees a un avortement incomplete*. Dakar: CEFOPRE; 1998.
- Chowdhury ME, Botlero R, Koblinsky M, Saha SK, Dieltiens G, Ronsmans C. Determinants of reduction in maternal mortality in Matlab, Bangladesh: a 30-year cohort study. *Lancet* 2007 Oct 13;370(9595):1320-28.
- Cobb L, Putney P, Roach R, Solo J, Buono N, Dunlop J, Vandenbroucke M. *Global evaluation of USAID's postabortion care program*. Washington, DC: POPTECH; 2001.
- Delvaux T, Soeur S, Rathavy T, Crabbé F, Buvé A. Integration of comprehensive abortion-care services in a Maternal and Child Health clinic in Cambodia. *Trop Med Int Health* 2008 Aug;13(8):962-9.
- Frontiers in Reproductive Health. *Burkina Faso postabortion care: upgrading postabortion care benefits patients and providers*. OR Summary 3. Washington, DC: Frontiers in Reproductive Health; 2000.
- Gasman N, Blandon MM, Crane BB. Abortion, social inequity, and women's health: obstetrician-gynecologists as agents of change. *Int J Gynaecol Obstet* 2006 Sep;94(3):310-16.
- Hatcher RA, Trussell J, Nelson AL, editors. *Contraceptive technology*. 19th edition. New York: Ardent Media, Inc.; 2009.
- High-Impact Practices in Family Planning (HIPs). High impact practices in family planning list. Washington, DC: U.S. Agency for International Development; 2013. Available from: <https://www.fphighimpactpractices.org/high-impact-practices-in-family-planning-list-2/>.
- Johnson BR, Ndhlovu S, Farr SL, Chipato T. Reducing unplanned pregnancy and abortion in Zimbabwe through postabortion contraception. *Stud Fam Plann* 2002 Jun;33(2):195-202.

- Kidder E, Sonneveldt E, Hardee K. [Who receives PAC services? Evidence from 14 countries](#). Washington, D.C.: The Futures Group; 2004.
- Kiggundu C. Decentralizing integrated postabortion care in Uganda: a pilot training and support initiative for improving the quality and availability of intergrated RH service. Kampala, Uganda: Ministry of Health, PRIME, Ipas, and DISH; 1999.
- Korejo R, Noorani KJ, Bhutta S. Sociocultural determinants of induced abortion. *J Coll Physicians Surg Pak* 2003 May;13(5):260-2.
- Lema VM, Mpanga V. Post-abortion contraceptive acceptability in Blantyre, Malawi. *East Afr Medical J* 2000 Sep;77(9):488-93.
- Magak K, Mukenge M. COBAC: Community-based Abortion Care midterm evaluation, Western Kenya. Pacific Institute for Women's Health; 2003.
- Mahomed K, Healy J, Tandom S. Family planning counseling-a priority for post abortion care. *Cent Afr J Med* 1997 Jul;43(7):205-7.
- Malla K, Kishore S, Padhye S, Hughes R, Mcintosh N, Tietjen L. Establishing postabortion care services in Nepal. *J Nepal Med Assoc* 1997;35:104-10.
- McDougall J, Fetters T, Clark KA, Rathavy T. Determinants of contraceptive acceptance among Cambodian abortion patients. *Stud Fam Plann* 2009 Jun;40(2): 123-32.
- Medina R, Vernon R, Mendoza I, Aguilar C. [Expansion of postpartum/postabortion contraception in Honduras](#). New York: Population Council; 2001.
- Nielsen KK, Lusiola G, Kananma J, Bantamby J, Kikumbih N, Rasch V. Expanding comprehensive postabortion care to primary health facilities in Geita District, Tanzania. *Afr J Reprod Health* 2009 Jun;13(2):129-38.
- Ortayli N, Bulut A, Nablant H. The effectiveness of preabortion contraception counseling. *Int J Gynaecol Obstet* 2001;74(3):281-5.
- Rasch V, Massawe S, Yambesi F, Bergstrom S. Acceptance of contraceptives among women who had an unsafe abortion in Dar es Salaam. *Trop Med Int Health* 2004 Mar;9(3): 399-405.
- Romero M, Zamberlin N, Gianni MC. [La calidad de la atención posaborto: un desafío para la salud pública y los derechos humanos](#). *Salud Colectiva* 2010; 6(1):21-35.
- Savelieva I, Pile JM, Sacci I, Loganathan R. [Postabortion family planning operations research study in Perm, Russia](#). New York: Population Council, 2002.
- Sedgh G, Singh S, Shah IH, Ahman E, Henshaw S, Bankole A. Induced abortion: incidence and trends worldwide from 1995 to 2008. *Lancet* 2012 Feb;379(9816):625-632.
- Senlet P, Cagatay L, Ergin J, Mathis J. [Bridging the gap: integrating family planning with abortion services in Turkey](#). *Int Fam Plann Perspect* 2001 Jun;27(2):90-5.
- Shah IH and Ahman E. Unsafe abortion differentials in 2008 by age and developing country region: high burden among young women. *Reprod Health Matters* 2012;20(39):169-173.
- Solo J, Billings D, Aloo-Obunga C, Ominde A, Makumi M. Creating linkages between incomplete abortion treatment and family planning services in Kenya. *Stud Fam Plann* 1999 Mar;30(1):17-27.
- United States Agency for International Development (USAID). [Postabortion care strategy](#). Washington, D.C.: USAID; 2004.
- Verme CS. Postabortion care: a global health issue [videocassette]. Nahitchevansky G, Webb Productions, producer. Washington, DC: Postabortion Care Consortium (AVSC International, International Planned Parenthood Federation, International Projects Assistance Services, JHPIEGO Corporation, Pathfinder International); 1994. 1 videocassette: 12 min., NTSC format.
- Wanjiru M, Askew I, Munguti N, RamaRao S, Homan R, Kahando R, Pile JM. [Assessing the feasibility, acceptability and cost of introducing comprehensive post abortion care in health centres and dispensaries in rural Tanzania. Final report](#). New York: Population Council; 2007.

Wilcox AJ, Dunson D, Baird DD. The timing of the 'fertile window' in the menstrual cycle: day specific estimates from a prospective study. *BMJ* 2000 Nov 18; 321(7271):1259-62.

Wilcox AJ, Baird DD, Weinberg CR. Time of implantation of the conceptus and loss of pregnancy. *N Engl J Med* 1999 Jun 10;340(23):1796-9.

World Health Organization (WHO). [Medical eligibility criteria for contraceptive use. 4th edition.](#) Geneva: WHO; 2010.

World Health Organization (WHO). [Report of a WHO technical consultation on birth spacing. Geneva, Switzerland, 13–15 June 2005.](#) Geneva: WHO; 2006.

World Health Organization (WHO). [Unsafe abortion: global and regional estimates of the incidence of unsafe abortion and associated mortality in 2008.](#) 6th edition. Geneva: WHO; 2011.

Youssef H, Abdel-Tawab N, Bratt J. [Linking family planning with postabortion services in Egypt: testing the feasibility, acceptability and effectiveness of the two models of integration.](#) New York: Population Council; 2007.