

Immediate Postpartum Family Planning

References

1. Baqui AH, Ahmed S, Begum N, et al. Impact of integrating a postpartum family planning program into a community-based maternal and newborn health program on birth spacing and preterm birth in rural Bangladesh. *J Glob Health.* 2018;8(2):020406. <https://doi.org/10.7189/jogh.08.020406>
2. Cleland J, Bernstein S, Ezeh A, Faundes A, Glasier A, Innis J. Family planning: the unfinished agenda. *Lancet.* 2006;368(9549):1810-1827. [https://doi.org/10.1016/S0140-6736\(06\)69480-4](https://doi.org/10.1016/S0140-6736(06)69480-4)
3. Kozuki N, Walker N. Exploring the association between short/long preceding birth intervals and child mortality: using reference birth interval children of the same mother as comparison. *BMC Public Health.* 2013;13(3):S6. <https://doi.org/10.1186/1471-2458-13-S3-S6>
4. Rutstein SO. Effects of preceding birth intervals on neonatal, infant and under-five years mortality and nutritional status in developing countries: evidence from the Demographic and Health Surveys. *Int J Gyn Obstet.* 2005;89:S7-S24. <https://doi.org/10.1016/j.ijgo.2004.11.012>
5. Conde-Agudelo A, Rosas-Bermúdez A, Kafury-Goeta AC. Birth spacing and risk of adverse perinatal outcomes: a meta-analysis. *JAMA.* 2006;295(15):1809-1823. <https://doi.org/10.1001/jama.295.15.1809>
6. DaVanzo J, Hale L, Razzaque A, Rahman M. The effects of pregnancy spacing on infant and child mortality in Matlab, Bangladesh: how they vary by the type of pregnancy outcome that began the interval. *Popul Stud (Camb).* 2008;62(2):131-154. <https://doi.org/10.1080/00324720802022089>
7. Conde-Agudelo A, Belizán JM. Maternal morbidity and mortality associated with interpregnancy interval: cross sectional study. *BMJ.* 2000;321(7271):1255-1259. <https://doi.org/10.1136/bmj.321.7271.1255>
8. Sully EA, Biddlecom A, Darroch JE, et al. Adding It Up: Investing in Sexual and Reproductive Health 2019. Guttmacher Institute; 2020. Accessed October 5, 2022. <https://www.guttmacher.org/report/adding-it-up-investing-in-sexual-reproductive-health-2019>
9. World Health Organization (WHO). Report of a WHO Technical Consultation on Birth Spacing. WHO; 2007. Accessed October 5, 2022. <https://apps.who.int/iris/handle/10665/69855>
10. Chebet JJ, McMahon SA, Greenspan JA, et al. "Every method seems to have its problems"- Perspectives on side effects of hormonal contraceptives in Morogoro Region, Tanzania. *BMC Womens Health.* 2015;15:97. <https://doi.org/10.1186/s12905-015-0255-5>
11. Kouyate RA. LAM and the Transition Barrier Analysis: Sylhet, Bangladesh. Jhpiego; 2010.

12. Rossier C, Hellen J. Traditional birthspacing practices and uptake of family planning during the postpartum period in Ouagadougou: qualitative results. *Int Perspect Sex Reprod Health.* 2014;40(2):87-94. <https://doi.org/10.1363/4008714>
13. Borda MR, Winfrey W, McKaig C. Return to sexual activity and modern family planning use in the extended postpartum period: an analysis of findings from seventeen countries. *Afr J Reprod Health.* 2010;14(4).
14. Gahungu J, Vahdaninia M, Regmi PR. The unmet needs for modern family planning methods among postpartum women in Sub-Saharan Africa: a systematic review of the literature. *Reprod Health.* 2021;18(1):35. <https://doi.org/10.1186/s12978-021-01089-9>
15. Tran NT, Yameogo WME, Gaffield ME, et al. Postpartum family-planning barriers and catalysts in Burkina Faso and the Democratic Republic of Congo: a multiperspective study. *Open Access J Contracept.* 2018;9:63-74. <https://doi.org/10.2147/OAJC.S170150>
16. World Health Organization (WHO). Pulse Survey on Continuity of Essential Health Services During the COVID-19 Pandemic. Interim report 27 August 2020. WHO; 2020. Accessed October 5, 2022. https://www.who.int/publications/i/item/WHO-2019-nCoV-EHS_continuity-survey-2020.1
17. Ndugwa RP, Cleland J, Madise NJ, Fotso J-C, Zulu EM. Menstrual pattern, sexual behaviors, and contraceptive use among postpartum women in Nairobi urban slums. *J Urban Health.* 2011;88(2):341-355. <https://doi.org/10.1007/s11524-010-9452-6>
18. World Health Organization (WHO). Programming Strategies for Postpartum Family Planning. WHO; 2013. Accessed October 5, 2022. <https://www.who.int/publications/i/item/9789241506496>
19. High Impact Practices in Family Planning. Updated October 2020. Accessed October 5, 2022. <http://www.fphighimpactpractices.org/high-impact-practices-in-family-planning-list>
20. Rossier C, Hellen J. Traditional birthspacing practices and uptake of family planning during the postpartum period in Ouagadougou: qualitative results. *Int Perspect Sex Reprod Health.* 2014;40(2):87-94. <https://doi.org/10.1363/4008714>
21. Dev R, Kohler P, Feder M, Unger JA, Woods NF, Drake AL. A systematic review and meta-analysis of postpartum contraceptive use among women in low- and middle-income countries. *Reprod Health.* 2019;16(1):154. <https://doi.org/10.1186/s12978-019-0824-4>
22. Winfrey W, Rakesh K. Use of Family Planning in the Postpartum Period. ICF International; 2014. Accessed October 5, 2022. <https://dhsprogram.com/publications/publication-cr36-comparative-reports.cfm>
23. Caleb-Varkey L, Mishra A, Das A, et al. Involving Men in Maternity Care in India. Frontiers in Reproductive Health Program, Population Council; 2004. Accessed October 5, 2022. https://knowledgecommons.popcouncil.org/departments_sbsr-rh/420/
24. Abdel-Tawab NG, Loza S, Zaki A. Helping Egyptian Women Achieve Optimal Birth Spacing Intervals Through Fostering Linkages Between Family Planning and Maternal/Child Health Services. Population Council; 2008. Accessed October 5, 2022. https://knowledgecommons.popcouncil.org/departments_sbsr-rh/389/
25. Ahmed S, Ahmed S, McKaig C, et al. The effect of integrating family planning with a maternal and newborn health program on postpartum contraceptive use and optimal birth spacing in rural Bangladesh. *Stud Fam Plann.* 2015;46(3):297-312. <https://doi.org/10.1111/j.1728-4465.2015.00031.x>
26. Soliman M. Impact of antenatal counselling on couples' knowledge and practice of contraception in Mansoura, Egypt. *East Mediterr Health J.* 1999;5(5):1002-1013.
27. Delivery care: Each year, millions of births still occur without any assistance from a skilled attendant despite recent progress. UNICEF Data: Monitoring the Situation of Children and Women. Updated July 2022. Accessed October 5, 2022. <https://data.unicef.org/topic/maternal-health/delivery-care>
28. Indicator: Percentage of live births in the five (or three) years preceding the survey delivered at a health facility. STATcompiler, The DHS Program. Accessed October 5, 2022. <http://www.statcompiler.com/>
29. World Health Organization (WHO). Medical Eligibility Criteria for Contraceptive Use. 5th ed. WHO; 2015. Accessed October 5, 2022. http://www.who.int/reproductivehealth/publications/family_planning/MEC-5/en/

30. Maternal and Child Survival Program. Pathway of Opportunities for Postpartum Women to Adopt Family Planning. Jhpiego; 2015. Accessed October 5, 2022. <http://www.mcsprogram.org/resource/pathway-of-opportunities-for-postpartum-women-to-adopt-family-planning/>
31. Castadot RG, Sivin I, Reyes P, Alers JO, Chapple M, Russel J. The international postpartum family planning program: eight years of experience. Rep Popul Fam Plann. 1975;(18):1-53.
32. de Caestecker L, Banks L, Bell E, Sethi M, Arulkumaran S. Planning and implementation of a FIGO postpartum intrauterine device initiative in six countries. Int J Gynaecol Obstet. 2018;143(Suppl 1):4-12. <https://doi.org/10.1002/ijgo.12598>
33. Makins A, Taghinejadi N, Sethi M, et al. Factors influencing the likelihood of acceptance of postpartum intrauterine devices across four countries: India, Nepal, Sri Lanka, and Tanzania. Int J Gynaecol Obstet. 2018;143(Suppl 1):13-19. <https://doi.org/10.1002/ijgo.12599>
34. Weerasekera DS, Senanayake L, Ratnasiri PU, et al. Four years of the FIGO postpartum intrauterine device initiative in Sri Lanka: Pilot initiative to national policy. Int J Gynaecol Obstet. 2018;143(Suppl 1):28-32. <https://doi.org/10.1002/ijgo.12601>
35. Bhadra B, Burman SK, Purandare CN, Divakar H, Sequeira T, Bhardwaj A. The impact of using nurses to perform postpartum intrauterine device insertions in Kalyani Hospital, India. Int J Gynaecol Obstet. 2018;143(Suppl 1):33-37. <https://doi.org/10.1002/ijgo.12602>
36. Muganyizi PS, Kimario G, Ponsian P, Howard K, Sethi M, Makins A. Clinical outcomes of postpartum intrauterine devices inserted by midwives in Tanzania. Int J Gynaecol Obstet. 2018;143(Suppl 1):38-42. <https://doi.org/10.1002/ijgo.12603>
37. Thapa K, Dhital R, Karki YB, et al. Institutionalizing postpartum family planning and postpartum intrauterine device services in Nepal: role of training and mentorship. Int J Gynaecol Obstet. 2018;143(Suppl 1):43-48. <https://doi.org/10.1002/ijgo.12604>
38. Fatima P, Antora AH, Dewan F, Nash S, Sethi M. Impact of contraceptive counselling training among counsellors participating in the FIGO postpartum intrauterine device initiative in Bangladesh. Int J Gynaecol Obstet. 2018;143(Suppl 1):49-55. <https://doi.org/10.1002/ijgo.12605>
39. Achyut P, Mishra A, Montana L, Sengupta R, Calhoun LM, Nanda P. Integration of family planning with maternal health services: an opportunity to increase postpartum modern contraceptive use in urban Uttar Pradesh, India. J Fam Plann Reprod Health Care. 2016;42(2):107-115. <https://doi.org/10.1136/jfprhc-2015-101271>
40. Bolam A, Manandhar D, Shrestha P, Ellis M, Malla K, Costello A. Factors affecting home delivery in the Kathmandu Valley, Nepal. Health Policy Plann. 1998;13(2):152-158.
41. Speizer IS, Calhoun LM, Hoke T, Sengupta R. Measurement of unmet need for family planning: longitudinal analysis of the impact of fertility desires on subsequent childbearing behaviors among urban women from Uttar Pradesh, India. Contraception. 2013;88(4):553-560. Accessed October 5, 2022. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3835184/>
42. Tawfik Y. Integrating postpartum family planning using quality improvement in Afghanistan. Unpublished data; 2016.
43. Tawfik Y, Rahimzai M, Ahmadzai M, Clark PA, Kamgang E. Integrating family planning into postpartum care through modern quality improvement: experience from Afghanistan. Glob Health Sci Pract. 2014;2(2):226-233. Accessed October 5, 2022. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4168614/>
44. Medina R, Vernon R, Mendoza I, Aguilar C. Expansion of Postpartum/Postabortion Contraception in Honduras. Population Council; 2001. http://pdf.usaid.gov/pdf_docs/Pnacm374.pdf
45. Vernon R, López-Canales JR, Cárcamo JA, Galindo J. The impact of a perinatal reproductive health program in Honduras. Int Fam Plann Perspect. 1993;19(3):103-109. <https://doi.org/10.2307/2133244>
46. Pilihanku (My Choice) Project. [Jhpiego/Indonesia]. Unpublished data; 2017.
47. Boucar M, Sabou D, Saley Z, Hill K. Using Collaborative Improvement to Enhance Postpartum Family Planning in Niger. University Research Co.,

- LLC; 2016. Accessed October 5, 2022. https://pdf.usaid.gov/pdf_docs/PA00M8C6.pdf
48. Using collaborative improvement to enhance postpartum family planning in Niger. Unpublished data; 2017.
 49. Ingabire R, Nyombayire J, Hoagland A, et al. Evaluation of a multi-level intervention to improve postpartum intrauterine device services in Rwanda. *Gates Open Res.* 2019;2:38. <https://doi.org/10.12688/gatesopenres.12854.3>
 50. Casey SE, Chynoweth SK, Cornier N, Gallagher MC, Wheeler EE. Progress and gaps in reproductive health services in three humanitarian settings: mixed-methods case studies. *Confl Health.* 2015;9(Suppl 1):S3. <https://doi.org/10.1186/1752-1505-9-S1-S3>
 51. Ho LS, Wheeler E. Using program data to improve access to family planning and enhance the method mix in conflict-affected areas of the Democratic Republic of the Congo. *Glob Health Sci Pract.* 2018;6(1):161-177. <https://doi.org/10.9745/GHSP-D-17-00365>
 52. Gallagher MC, Morris CN, Fatima A, Daniel RW, Shire AH, Sangwa BMM. Immediate postpartum long-acting reversible contraception: a comparison across six humanitarian country contexts. *Front Glob Womens Health.* 2021;2:613338. <https://doi.org/10.3389/fgwh.2021.613338>
 53. Ahmed S, Norton M, Williams E, et al. Operations research to add postpartum family planning to maternal and neonatal health to improve birth spacing in Sylhet District, Bangladesh. *Glob Health Sci Pract.* 2013;1(2):262-276. <https://doi.org/10.9745/GHSP-D-13-00002>
 54. Ahmed S, Ahmed S, McKaig C, et al. The effect of integrating family planning with a maternal and newborn health program on postpartum contraceptive use and optimal birth spacing in rural Bangladesh. *Stud Fam Plann.* 2015;46(3):297-312. <https://doi.org/10.1111/j.1728-4465.2015.00031.x>
 55. Pfitzer A, Mackenzie D, Blanchard H, et al. A facility birth can be the time to start family planning: postpartum intrauterine device experiences from six countries. *Int J Gynaecol Obstet.* 2015;130(Suppl 2):S54-S61. <https://doi.org/10.1016/j.ijgo.2015.03.008>
 56. High Impact Practices in Family Planning (HIPs). Adolescent-Responsive Contraceptive Services: Institutionalizing Adolescent-Responsive Elements to Expand Access and Choice. HIPs Partnership; 2021. <https://www.fphighimpactpractices.org/briefs/adolescent-responsive-contraceptive-services>
 57. Daniel E, Hainsworth G, Kitzantides I, Simon C, Subramania L. PRACHAR: Advancing Young People's Sexual and Reproductive Health and Rights in India. Pathfinder India; 2016. Accessed October 5, 2022. <https://www.pathfinder.org/wp-content/uploads/2016/11/PRACHAR-Advancing-Young-Peoples-Sexual-and-Reproductive-Health-and-Rights-in-India.pdf>
 58. Balde A BR, Chau K, Cole C, Simon C, Tomasulto A. Toucher les jeunes femmes mariées et les parents pour la première fois pour la planification et l'espacement idéal des grossesses au Burkina Faso. Pathfinder International Guinée; 2015. Accessed October 5, 2022. <https://www.pathfinder.org/wp-content/uploads/2016/09/Toucher-les-Jeunes-Femmes-Mariees-et-les-Parents-Pour-la-Premiere-Fois-Pour-la-PEIGS-au-Burkina-Faso.pdf>
 59. Chau K, Benevides R, Cole C, Simon C, Baldé A, Tomasulo A. Toucher les parents pour la première fois et les jeunes femmes mariées pour la planification et l'espacement idéal des grossesses pour la santé au Burkina Faso: résultats clés de la mise en œuvre du projet de Pathfinder International "Projet de Renforcement de l'Accès des Jeunes et Adolescents aux Services de Santé Sexuelle et Reproductive". Projet Evidence to Action/Pathfinder International; 2015.
 60. SG, Nour SA, Kames MA, Yones EM. Emergency contraceptive pills as a backup for lactational amenorrhea method (LAM) of contraception: a randomized controlled trial. *Contraception.* 2013;87(3):363-369. <https://doi.org/10.1016/j.contraception.2012.07.013>
 61. Cleland J, Shah IH, Daniele M. Interventions to improve postpartum family planning in low-and middle-income countries: program implications and research priorities. *Stud Fam Plann.* 2015;46(4):423-441. <https://doi.org/10.1111/j.1728-4465.2015.00041.x>
 62. High Impact Practices in Family Planning (HIPs). Engaging Men and Boys in Family Planning: A Strategic Planning Guide. USAID; 2018. Accessed

- October 5, 2022. <https://www.fphighimpactpractices.org/guides/engaging-men-and-boys-in-family-planning/>
63. Williams P, Santos N, Azman-Firdaus H, et al. Predictors of postpartum family planning in Rwanda: the influence of male involvement and healthcare experience. BMC Womens Health. 2021;21(1):112. <https://doi.org/10.1186/s12905-021-01253-0>
 64. Willcox ML, Mubangizi V, Natukunda S, et al. Couples' decision-making on post-partum family planning and antenatal counselling in Uganda: a qualitative study. PLoS One. 2021;16(5):e0251190. <https://doi.org/10.1371/journal.pone.0251190>
 65. Yargawa J, Leonardi-Bee J. Male involvement and maternal health outcomes: systematic review and meta-analysis. J Epidemiol Community Health. 2015;69(6):604-612. <https://doi.org/10.1136/jech-2014-204784>
 66. Abdulkadir Z, Grema BA, Michael GC, Omeiza SY. Effect of antenatal couple counselling on postpartum uptake of contraception among antenatal clients and their spouses attending antenatal clinic of a northern Nigeria tertiary hospital: a randomized controlled trial. West Afr J Med. 2020;37(6):695-702.
 67. Harrington EK, McCoy EE, Drake AL, et al. Engaging men in an mHealth approach to support postpartum family planning among couples in Kenya: a qualitative study. Reprod Health. 2019;16(1):17. <https://doi.org/10.1186/s12978-019-0669-x>
 68. Lathrop E, Telemaque Y, Goedken P, Andes K, Jamieson DJ, Cwiak C. Postpartum contraceptive needs in northern Haiti. Int J Gynaecol Obstet. 2011;112(3):239-242. <https://doi.org/10.1016/j.ijgo.2010.09.012>
 69. Telemaque Y LE, Leconte C, Kimonian K, Kuhn C, Nickerson N. Postpartum family planning in northern Haiti: evaluation of a pilot intervention. Unpublished; 2017.
 70. Maternal and Child Survival Program (MCHIP), Population Services International (PSI). PPIUD Services: Start-Up to Scale-Up Regional Meeting, Burkina Faso, February 3-5, 2014: Meeting Report. MCHIP; 2014. Accessed October 5, 2022. https://pdf.usaid.gov/pdf_docs/PA00JXWK.pdf
 71. Kestler E, Orozco MdR, Palma S, Flores R. Initiation of effective postpartum contraceptive use in public hospitals in Guatemala. Rev Panam Salud Publica. 2011;29(2):103-107.
 72. Chitashvili T, Holschneider S, Clark PA. Improving Quality of Postpartum Family Planning in Low-Resource Settings: A Framework for Policy Makers, Managers, and Medical Care Providers. University Research Co., LLC; 2016. Accessed October 5, 2022. https://www.usaidassist.org/sites/assist/files/improving_quality_of_ppfp_apr_2016.pdf
 73. Guide women through their postpartum family planning options. World Health Organization. Accessed October 5, 2022. <https://postpartumfp.srhr.org/>
 74. Postpartum family planning (PPFP) toolkit. Maternal and Child Health Integrated Program. Accessed October 5, 2022. <https://www.k4health.org/toolkits/ppfp>
 75. Bangladesh: behavioral maintenance and follow-up. Service communication implementation kit. Health Communication Capacity Collaborative. Accessed October 5, 2022. <https://sbccimplementationkits.org/service-communication/case-studies/case-study-behavioral-maintenance-and-follow-up-in-bangladesh/>
- The *Immediate Postpartum Family Planning: A key component of childbirth care* brief is available from: <https://www.fphighimpactpractices.org/briefs/immediate-postpartum-family-planning/>