

Referencias

El resumen completo está disponible en: <https://www.fphighimpactpractices.org/briefs/adolescent-friendly-contraceptive-services/>

Abdul-Rahman L, Marrone G, Johansson A. Trends in contraceptive use among female adolescents in Ghana. *Afr J Reprod Health*. 2011;15(2):45-55. Available from: <http://www.bioline.org.br/pdf?rh11019>

Adams MK, Salazar E, Lundgren R. Tell them you are planning for the future: gender norms and family planning among adolescents in northern Uganda. *Int J Gynaecol Obstet*. 2013;123 Suppl 1:e7-e10. Available from: <http://dx.doi.org/10.1016/j.ijgo.2013.07.004>

American Academy of Pediatrics (AAP), Committee on Adolescence. Policy statement: contraception for Adolescents. *Pediatrics*. 2014;134(4):e1244-e1256. Available from: <http://dx.doi.org/10.1542/peds.2014-2299>

Apland K. Over-protected and under-served: a multi-country study on legal barriers to young people's access to sexual and reproductive health services: El Salvador case study. London: International Planned Parenthood Federation; 2014. Available from: http://www.childrenslegalcentre.com/userfiles/file/ippf_coram_el_salvador_report_eng_web.pdf

Bankole A, Malarcher S. Removing barriers to adolescents' access to contraceptive information and services. *Stud Fam Plann*. 2010;41(2):117-124.

Bankole A, Singh S. In their own right: addressing the sexual and reproductive health needs of men worldwide. New York: Alan Guttmacher Institute; 2003. Available from: http://www.guttmacher.org/pubs/itor_intl.pdf

Barker G, Ricardo C, Nascimento M, Olukoya A, Santos C. Questioning gender norms with men to improve health outcomes: evidence of impact. *Glob Public Health*. 2010; 5(5):539-553.

Barker G, Ricardo C, Nascimento M. Engaging men and boys in changing gender-based inequity in health: evidence from programme interventions. Geneva: World Health Organization; 2007. Available from: http://www.who.int/gender/documents/Engaging_men_boys.pdf

Bhuiya, I, Rob U, Chowdhury AH, Khan ME, Rahman L, Adamchak SE. Improving sexual and reproductive health of female adolescents in Bangladesh by providing information and services. *Popul Rev*. 2006;45(2):60-71.

Biddlecom AE, Munthali A, Singh S, Woog V. Adolescents' views of and preferences for sexual and reproductive health services in Burkina Faso, Ghana, Malawi and Uganda. *Afr J Reprod Health*. 2007;11(3):99-110. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2367115/pdf/nihms42619.pdf>

Blanc AK, Tsui AO, Croft TN, Trevitt JL. Patterns and trends in adolescents' contraceptive use and discontinuation in developing countries and comparisons with adult women. *Int Perspect Sexual Reproduct Health*. 2009;35(2):63-71. Available from: <https://www.guttmacher.org/pubs/journals/3506309.html>

Calhoun LM, Speizer IS, Rimal R, Sripath P, Chatterjee N, Achyut P, et al. Provider imposed restrictions to clients' access to family planning in urban Uttar Pradesh, India: a mixed methods study. *BMC Health Services Research*. 2013;13:532. Available from: <http://dx.doi.org/10.1186/1472-6963-13-532>

Chandra-Mouli V, Gibbs S, Badiana R, Quinhas F, Svanemyr J. Programa Geração Biz, Mozambique: how did this adolescent health initiative grow from a pilot to a national programme, and what did it achieve? *Reprod Health*. 2015;12:12. Available from: <http://dx.doi.org/10.1186/1742-4755-12-12>

Chandra-Mouli V, Lane C, and Wong S. What does not work in adolescent sexual and reproductive health: A review of evidence on interventions commonly accepted as best practices. 2015b; *Global Health Science and Practice*. <http://www.ghspjournal.org/content/3/3/333.full.pdf+html>

Chandra-Mouli V, McCarragher DR, Phillips SJ, Williamson NE, Hainsworth G. Contraception for adolescents in low and middle income countries: needs, barriers, and access. *Reprod Health*. 2014; 11(1):1. Available from: <http://dx.doi.org/10.1186/1742-4755-11-1>

Chandra-Mouli V, Mapella E, John T, Gibbs S, Hanna C, Kambatibe N, et al. Standardizing and scaling up quality adolescent friendly health services in Tanzania. *BMC Public Health*. 2013;13:579. Available from: <http://dx.doi.org/10.1186/1471-2458-13-579>

Committee on Adolescent Health Care, Long-Acting Reversible Contraception Working Group; The American College of Obstetrics and Gynecology (ACOG). Committee opinion no. 539: adolescents and long-acting reversible contraception: implants and intrauterine devices. Washington, DC: ACOG; 2012. Available from: <http://www.acog.org/Resources-And-Publications/Committee-Opinions/Committee-on-Adolescent-Health-Care/Adolescents-and-Long-Acting-Reversible-Contraception>

Cook R, Dickens BM. Recognizing adolescents' 'evolving capacities' to exercise choice in reproductive healthcare. *Int J Gynaecol Obstet*. 2000;70(1):13-21.

- Decker M, Constantine NA. Factors associated with contraceptive use in Angola. *Afr J Reprod Health*. 2011;15(4):68-77. Available from: <http://www.bioline.org.br/pdf/rh11053>
- Denno DM, Hoopes AJ, Chandra-Mouli V. Effective strategies to provide adolescent sexual and reproductive health services and to increase demand and community support. *J Adol Health*. 2015;56(Suppl 1):S22-S41. Available from: <http://dx.doi.org/10.1016/j.jadohealth.2014.09.012>
- Doyle AM, Weiss HA, Maganja K, Kapiga S, McCormack S, Watson-Jones D, et al. The long-term impact of the MEMA kwa Vijana adolescent sexual and reproductive health intervention: effect of dose and time since intervention exposure. *PLoS One*. 2011;6(9):e24866. Available from: <http://dx.doi.org/10.1371/journal.pone.0024866>
- Ehlers VJ. Adolescent mothers' utilization of contraceptive services in South Africa. *Int Nursing Rev*. 2003;50(4):229-241.
- Eke AC, Alabi-Isama L. Long-acting reversible contraception (LARC) use among adolescent females in secondary institutions in Nnewi, Nigeria. *J Obstet Gynaecol*. 2011;31(2):164-168.
- Erulkar AS, Onoka CJ, Phiri A. What is youth-friendly? Adolescents' preferences for reproductive health services in Kenya and Zimbabwe. *Afr J Reprod Health*. 2005;9(3):51-58. Available from: <http://www.bioline.org.br/pdf/rh05039>
- Erulkar AS and Tamrat T. Evaluation of a reproductive health program to support adolescent girls in rural Ethiopia. *Afr J Reprod Health*. 2014;18(2):68-76. Available from: <http://www.bioline.org.br/pdf/rh14026>
- Evens E, Otieno-Masaba R, Eichleay M, McCarraher D, Hainsworth G, Lane C, et al. Post-abortion care services for youth and adult clients in Kenya: a comparison of services, client satisfaction and provider attitudes. *J Biosoc Sci*. 2014;46(1):1-15. Available from: <http://www.pathfinder.org/publications-tools/pdfs/post-abortion-care-service-for-youth-and-adult-clients-in-kenya.pdf>
- Futures Group International. Jamaica adolescent reproductive health activity: end of project report. Washington, DC: Futures Group International; 2005.
- Gay J, Croce-Galis M, Hardee K. What works for women and girls: evidence for HIV/AIDS interventions. 2nd edition. Washington, DC: Futures Group, Health Policy Project; 2012. Available from: www.whatworksforwomen.org
- Glinski A, Sexton M, Petroni S. Adolescents and family planning: what the evidence shows. Washington, DC: International Center for Research on Women; 2014. Available from: <https://www.icrw.org/wp-content/uploads/2016/10/140701-ICRW-Family-Planning-Rpt-Web.pdf>
- Godia PM, Olenja JM, Hofman JJ, van den Broek N. Young people's perception of sexual and reproductive health services in Kenya. *BMC Health Serv Res*. 2014;14:172. Available from: <http://dx.doi.org/10.1186/1472-6963-14-172>
- Gottschalk LB, Ortayli N. Interventions to improve adolescents' contraceptive behaviors in low- and middle-income countries: a review of the evidence base. *Contraception* 2014;90(3):211-225.
- Greene ME, Gay J, Morgan G, Benevides R, Fikree F. Literature review: reaching young first-time parents for the healthy spacing of second and subsequent pregnancies. Washington, DC: Pathfinder International, Evidence to Action Project; 2014. Available from: <http://www.e2aproject.org/publications-tools/pdfs/reaching-first-time-parents-for-pregnancy-spacing.pdf>
- Greifinger R, Ramsey M. Making your health services youth-friendly: a guide for program planners and implementers. Washington, DC: Population Services International and IntraHealth International; 2014. Available from: <http://www.psi.org/publication/making-your-health-services-youth-friendly-a-guide-for-program-planners-and-implementers/>
- Hainsworth G, Engel DM, Simon C, Rahimtoola M, Ghiron LJ. Scale-up of adolescent contraceptive services: lessons from a 5-country comparative analysis. *J Acquir Immune Defic Syndr*. 2014;66 Suppl 2:S200-S208.
- Harden A, Oakley A, Oliver S. Peer-delivered health promotion for young people: a systematic review of different study designs. *Health Educ J*. 2001;60(4):339-353.
- Hindin MJ, Fatusi A. Final report: exploration of young people's sexual and reproductive health assessment practices. Baltimore, MD: Johns Hopkins Bloomberg School of Public Health; 2014. Available from: http://www.jhsph.edu/departments/population-family-and-reproductive-health/focal-areas/_pdfs/Exploration_of_Young_Peoples_Sexual_and_Reproductive_Health_Assessment_Practices_Final.pdf
- High-Impact Practices in Family Planning (HIPs). Family planning high-impact practice list. Washington, DC: USAID; 2014. Available from: <https://www.fphighimpactpractices.org/resources/high-impact-practices-family-planning-list>
- International Planned Parenthood Federation (IPPF). Over-protected and under-served: legal barriers to young people's access to sexual and reproductive health services. London: IPPF; 2014. Available from: <http://www.ippf.org/resources/publications/Over-protected-and-under-served-Legal-barriers-young-people-s-access-sexual-a>
- Jaruseviciene L, Zaborskis A, Lazarus JV. Public expectations concerning confidentiality protection of adolescents' sexual and reproductive health care in Lithuania: findings of the surveys conducted in 2005 and 2012. *Eur J Contracept Reprod Health Care*. 2014;19(2):102-107.
- Jaruseviciene L, Levasseur G, Liljestrand J. Confidentiality for adolescents seeking reproductive health care in Lithuania: the perceptions of general practitioners. *Reprod Health Matters*. 2006;14(27):129-137.
- Kanesathasan A, Cardinal LJ, Pearson E, Das Gupta S, Mukherjee S, Malhotra A. Catalyzing change: improving youth sexual and reproductive health through DISHA, an integrated program in India. Washington, DC: International Center for Research on Women; 2008. Available from: <http://www.icrw.org/files/publications/Catalyzing-Change-Improving-Youth-Sexual-and-Reproductive-Health-Through-disha-an-Integrated-Program-in-India-DISHA-Report.pdf>

- Kennedy EC, Bulu S, Harris J, Humphreys D, Malverus J, Gray NJ. "Be kind to young people so they feel at home": a qualitative study of adolescents' and service providers' perceptions of youth-friendly sexual and reproductive health services in Vanuatu. *BMC Health Serv Res.* 2013;13:455. Available from: <http://dx.doi.org/10.1186/1472-6963-13-455>
- Kesterton AJ, de Mello M. Generating demand and community support for sexual and reproductive health services for young people: a review of the literature and programs. *Reprod Health.* 2010;7:25. Available from: <http://dx.doi.org/10.1186/1742-4755-7-25>
- Kim CR, Free C. Recent evaluations of the peer-led approach in adolescent sexual health education: a systematic review. *Perspect Sexual Reprod Health.* 2008;40(3):144-151. Available from: <http://dx.doi.org/10.1363/4014408>
- Kim YM, Kols A, Nyakauru R, Marangwanda C, Chibatamoto P. Promoting sexual responsibility among young people in Zimbabwe. *Int Family Plann Perspect.* 2001;27(1):11-19. Available from: <http://www.guttmacher.org/pubs/journals/2701101.pdf>
- Kuene B, Beksinska M, Zondi S, Mthembu N, Mullick S, Ottolenghi E, et al. Involving men in maternity care: South Africa. Durban (South Africa): University of Witwatersrand; 2004. Co-published by Population Council and Family Health International. Available from: http://pdf.usaid.gov/pdf_docs/Pnada931.pdf
- Levy BM, Hardee K, Subaran S. Analysis of the legal, regulatory, and policy environment for adolescent reproductive health in Jamaica. *Youth.now;* 2001. Available from: http://pdf.usaid.gov/pdf_docs/PNACY162.pdf
- Lou CH, Wang B, Shen Y, Gao ES. Effects of a community-based sex education and reproductive health service program on contraceptive use of unmarried youths in Shanghai. *J Adol Health.* 2004;34(5):433-440.
- McCleary-Sills J, Mcgonagle A, Malhotra A. Women's demand for reproductive control: understanding and addressing gender barriers. Washington, DC: International Center for Research on Women; 2012. Available from: <http://www.icrw.org/sites/default/files/publications/Womens-demand-for-reproductive-control.pdf>
- Meuwissen LE, Gorter AC, Knottnerus AJA. Impact of accessible sexual and reproductive health care on poor and underserved adolescents in Managua, Nicaragua: a quasi-experimental intervention study. *J Adol Health.* 2006;38(1):56.
- Michaels-Igbokwe C, Lagarde M, Cairns J, Terris-Prestholt F. Using decision mapping to inform the development of a stated choice survey to elicit youth preferences for sexual and reproductive health and HIV services in rural Malawi. *Soc Sci Med.* 2014;105:93-102.
- Nalwadda G, Mirembe F, Tumwesigye NM, Byamugisha J, Faxelid E. Constraints and prospects for contraceptive service provision to young people in Uganda: providers' perspectives. *BMC Health Serv Res.* 2011;11:220. Available from: <http://dx.doi.org/10.1186/1472-6963-11-220>
- Santhya KG, Jeebhoy SJ. Sexual and reproductive health and rights of adolescent girls: evidence from low- and middle-income countries. *Glob Public Health.* 2015;10(2):189-221. Available from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4318087/>
- Santhya KG, Prakash R, Jeebhoy SJ, Singh SK. Accessing adolescent friendly health clinics in India: the perspectives of adolescents and youth. New Delhi: Population Council; 2014. Available from: http://www.popcouncil.org/uploads/pdfs/2014PGY_AFHC-IndiaReport.pdf
- Senderowitz J. Making reproductive health services youth friendly. Washington, DC: Focus on Young Adults, Pathfinder International; 1999. Available from: <http://www.pathfinder.org/publications-tools/pdfs/Making-Reproductive-Health-Services-Youth-Friendly.pdf>
- Senderowitz J, Solter C, Hainsworth G. Clinic assessment of youth friendly services: a tool for assessing and improving reproductive health services for youth. Watertown, MA: Pathfinder International; 2002. Available from: <http://www.pathfinder.org/publications-tools/Clinic-Assessment-of-Youth-Friendly-Services-A-Tool-for-Improving-Reproductive-Health-Services-for-Youth.html?referrer=https://www.google.com/>
- Sidze EM, Lardoux S, Speizer IS, Faye CM, Mutua MM, Badji F. Young women's access to and use of contraceptives: the role of providers' restrictions in urban Senegal. *Int Perspect Sex Reprod Health.* 2014;40(4):176-183. Available from: <http://dx.doi.org/10.1363/4017614>
- Singh S, Darroch JE, Ashford LS. Adding it up: the costs and benefits of investing in sexual and reproductive health 2014. New York: Guttmacher Institute; 2014. Available from: <http://www.guttmacher.org/pubs/AddingItUp2014.pdf>
- Sovd T, Mmari K, Lipovsek V, Manaseki-Holland S. Acceptability as a key determinant of client satisfaction: lessons from an evaluation of adolescent friendly health services in Mongolia. *J Adolesc Health.* 2006;38(5):519-526.
- Speizer IS, Hotchkiss DR, Magnani RJ, Hubbard B, Nelson K. Do service providers in Tanzania unnecessarily restrict clients' access to contraceptive methods? *Int Family Plann Perspect.* 2000;26(1):13-20, 42. Available from: <https://www.guttmacher.org/pubs/journals/2601300.pdf>
- Thin Zaw PP, Liabsuetrakul T, Htay TT, McNeil E. Equity of access to reproductive health services among youths in resource-limited suburban communities of Mandalay City, Myanmar. *BMC Health Serv Res.* 2012;12:458. Available from: <http://dx.doi.org/10.1186/1472-6963-12-458>
- Tilahun M, Mengistie B, Egata G, Reda AA. Health workers' attitudes toward sexual and reproductive health services for unmarried adolescents in Ethiopia. *Reprod Health.* 2012;9:19. Available from: <http://dx.doi.org/10.1186/1742-4755-9-19>
- Todesco M, Gay J. Early and unintended pregnancy: global guidance for an education sector response. Paris: UNESCO; Forthcoming 2015.
- Tolli M. Effectiveness of peer education interventions for HIV prevention, adolescent pregnancy prevention and sexual health promotion for young people: a systematic review of European studies. *Health Educ Res.* 2012;27(5):904-913. Available from: <http://dx.doi.org/10.1093/her/cys055>
- Tylee A, Haller DM, Graham T, Churchill R, Sanci LA. Youth-friendly primary-care services: how are we doing and what more needs to be done? *Lancet.* 2007;369(9572):1565-1573.
- United Nations Children's Fund (UNICEF). The state of the world's children 2011. Adolescence: an age of opportunity. New York: UNICEF; 2011. <http://www.unicef.org/sowc2011/>

United Nations Educational, Scientific and Cultural Organization (UNESCO). International technical guidance on sexuality education: an evidence-informed approach for schools, teachers and health educators. Volume 1: the rationale for sexuality education. Paris: UNESCO; 2009a. Available from: http://data.unaids.org/pub/ExternalDocument/2009/20091210_international_guidance_sexuality_education_vol_1_en.pdf

United Nations Educational, Scientific and Cultural Organization (UNESCO). UNESCO's short guide to essential characteristics of effective HIV prevention. Paris: UNESCO; 2009b . Available from: http://portal.unesco.org/en/ev.php-URL_ID=48359&URL_DO=DO_TOPIC&URL_SECTION=201.html

United Nations General Assembly. Convention on the Rights of the Child, G.A. Res. 44/25 of 20 Nov 1989 (Sep. 2, 1990). Available from: <http://www.ohchr.org/EN/ProfessionalInterest/Pages/CRC.aspx>

United Nations Population Fund (UNFPA). State of the world population 2014. The power of 1.8 billion: adolescent, youth and the transformation of the future. New York: UNFPA; 2014. Available from: http://www.unfpa.org/sites/default/files/pub-pdf/EN-SWOP14-Report_FINAL-web.pdf

United Nations Population Fund (UNFPA). State of the world population 2012. By choice not by chance family planning, human rights and development. New York: UNFPA; 2012. Available from: <http://eeca.unfpa.org/publications/state-world-population-2012-report>

United Nations Population Fund (UNFPA). Partnering: a new approach to sexual and reproductive health. New York: UNFPA; 2000. Available from: <http://www.unfpa.org/publications/partnering-new-approach-sexual-and-reproductive-health>

United Nations Population Division (UNPD). World Population Estimates. The 2015 Revision. <http://esa.un.org/unpd/wpp/DataQuery/> visited September 1, 2015.

Warenus LU, Faxelid EA, Chishimba PN, Musandu JO, Ong'anya AA, Nissen EB. Nurse-midwives' attitudes towards adolescent sexual and reproductive health needs in Kenya and Zambia. *Reprod Health Matters*. 2006;14(27):119-128.

Warner A, Hollingworth G, Thompson L, Petroni S, Sexton M, Song J, et al. I know. I want. I dream. Girls' insights for building a better world. Washington, DC: International Center for Research on Women; 2013. Available from: <http://www.icrw.org/sites/default/files/publications/Pages-%20Girl%20Insights%20Report%20FINAL.pdf>

Wellings K, Collumbien M, Slaymaker E, Singh S, Hodges Z, Patel D, et al. Sexual behaviour in context: a global perspective. *Lancet*. 2006;368(9548):1706-1728.

Wight D, Plummer M, Ross D. The need to promote behaviour change at the cultural level: one factor explaining the limited impact of the MEMA kwa Vijana adolescent sexual health intervention in rural Tanzania. A process evaluation. *BMC Public Health*. 2012;12:788. Available from: <http://dx.doi.org/10.1186/1471-2458-12-788>

Williams T, Mullen S, Karim A, Posner J. Evaluation of the African youth alliance program in Ghana, Tanzania, and Uganda: impact on sexual and reproductive health behavior among young people. Arlington, VA: John Snow, Inc; 2007. Available from: http://www.jsi.com/JSIInternet/Inc/Common/_download_pub.cfm?id=4645&clid=3

Williamson LM, Parkes A, Wight D, Petticrew M, Hart GJ. Limits to modern contraceptive use among young women in developing countries: a systematic review of qualitative research. *Reprod Health*. 2009;6:3. Available from: <http://dx.doi.org/10.1186/1742-4755-6-3>

Wood K, Jewkes R. Blood blockages and scolding nurses: barriers to adolescent contraceptive use in South Africa. *Reprod Health Matters*. 2006;14(27):109-118.

World Health Organization (WHO). Medical eligibility criteria for contraceptive use. Fifth edition. Geneva: WHO; 2015. Available from: http://www.who.int/reproductivehealth/publications/family_planning/MEC-5/en/

Zuurmond MA, Geary RS, Ross DA. The effectiveness of youth centers in increasing use of sexual and reproductive health services: a systematic review. *Stud Fam Plann*. 2012;43(4):239-254.